

11-13-07

ZW



PATENT
Customer No. 22,852
Attorney Docket No. 9314.0027-00

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)
)
CABLE, Alex et al.) Group Art Unit: 3682
)
Application No.: 10/672,922) Examiner: LUONG, Vinh
)
Filed: September 26, 2003)
) Confirmation No.: 9462
For: DIFFERENTIAL ADJUSTMENT)
APPARATUS)

MAIL STOP AMENDMENT

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

RESPONSE TO NOTICE OF NON-COMPLIANT AMENDMENT

In the concurrently filed Substitute Amendment, and in response to the Notice of Non-Compliant Amendment dated October 16, 2007, and in accordance with 37 C.F.R. § 1.121(c), Applicants list withdrawn claims 74-76 that were previously omitted and have deleted the claim text presented for canceled claims 8, 32, 72, and 73. A complete listing of all the claims and a copy of the Notice of Non-Compliant Amendment is enclosed.

Further, substitute drawings are submitted to address the concerns raised regarding the drawings. In particular, the substitute drawings include arrows indicating the direction of view.


Please grant any extensions of time required to enter this response and charge any additional required fees to Deposit Account No. 06-0916.

Respectfully submitted,

FINNEGAN, HENDERSON, FARABOW,
GARRETT & DUNNER, L.L.P.

Date: November 8, 2007

By:



Gary J. Edwards
Reg. No. 41,008
(650) 849-6622

EXPRESS MAIL LABEL NO.
EM 100825853 US



PATENT
Customer No. 22,852
Attorney Docket No. 9314.0027-00

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)
)
CABLE, Alex et al.) Group Art Unit: 3682
)
Application No.: 10/672,922) Examiner: LUONG, Vinh
)
Filed: September 26, 2003)
) Confirmation No.: 9462
For: DIFFERENTIAL ADJUSTMENT)
APPARATUS)

MAIL STOP AMENDMENT

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

SUBSTITUTE AMENDMENT

This is in response to the Notice of Non-Compliant Amendment ("Notice") dated October 16, 2007, and replaces the amendment previously filed on September 25, 2007, in response to the Office Action dated June 25, 2007.

Amendments to the Abstract are included in this paper beginning on page 2.

Amendments to the Specification are included in this paper beginning on page 3.

Amendments to the Claims are reflected in the listing of claims that begins on page 7 of this paper.

Amendments to the Drawings are included in the attached replacement drawing sheets.

The amendments are discussed on page 20 of this paper.

Remarks follow the amendment sections on page 21 of this paper.

Attachments to this amendment include two replacement drawing sheets.